

1/4




FIG.1

2/4




FIG.2

3/4

For C_{long}
 $C_1: (\forall i: 0 \leq i < 16: C_1(i) = \text{LFSR}_1(i) + \text{LFSR}_2(i))$
 $C_2: (\forall i: 0 \leq i < 16: C_2(i) = \text{SLFSR}_1(i) + \text{SLFSR}_2(i))$

For $S_{\text{db}}, C_{\text{pres}}, C_{\text{c-acc}}$ and $C_{\text{c-ed}}$
 $C_1: (\forall i: 0 \leq i < 16: C_1(i) = \text{LFSR}_1(i) + \text{LFSR}_2(i) + H_1(i))$
 $C_2: (\forall i: 0 \leq i < 16: C_2(i) = \text{SLFSR}_1(i) + \text{SLFSR}_2(i) + H_1(i))$

For C_{short}
 $C_1: (\forall i: 0 \leq i < 16: C_1(i) = \text{LFSR}_1(i) + \text{LFSR}_2(i) + \text{LUT}_1(2i) + \text{LUT}_1(2i + 1))$
 $C_2: (\forall i: 0 \leq i < 16: C_2(i) = \text{LFSR}_1(i) + \text{LFSR}_2(i) + \text{LUT}_1(2i))$

For C/A (GPS)
 $C_1: (\forall i: 0 \leq i < 16: C_1(i) = \text{LFSR}_1(i) + \text{SLFSR}_2(i))$
 $C_2: (\forall i: 0 \leq i < 16: C_2(i) = \text{LFSR}_2(i) + \text{SLFSR}_1(i))$

C_{long} and C_{short}
 $\text{OUT}: (\forall i: 0 \leq i < 8: \begin{aligned} \text{OUT}(4i) &= 0 + C_1(2i) && + 0 * C_2(2i) \\ \text{OUT}(4i + 1) &= 0 + C_1(2i) && + 1 * C_2(2i) \\ \text{OUT}(4i + 2) &= 0 + C_1(2i + 1) && + 0 * C_2(2i) \\ \text{OUT}(4i + 3) &= 1 + C_1(2i + 1) && + 1 * C_2(2i) \end{aligned})$

$C_{\text{pres}}, C_{\text{c-acc}}$ and $C_{\text{c-ed}}$
 $\text{OUT}: (\forall i: 0 \leq i < 8: \begin{aligned} \text{OUT}(4i) &= \alpha + C_1(2i) \\ \text{OUT}(4i + 1) &= \beta + C_1(2i) \\ \text{OUT}(4i + 2) &= \gamma + C_1(2i + 1) \\ \text{OUT}(4i + 3) &= \delta + C_1(2i + 1) \end{aligned})$

$(\alpha, \beta, \gamma, \delta) \in \{(0, 0, 1, 0), (1, 1, 0, 1)\}^*$

S_{db}
 $\text{OUT}: (\forall i: 0 \leq i < 8: \begin{aligned} \text{OUT}(4i) &= 1 * C_1(2i) && + 0 * C_2(2i) \\ \text{OUT}(4i + 1) &= 0 * C_1(2i) && + 1 * C_2(2i) \\ \text{OUT}(4i + 2) &= 1 * C_1(2i + 1) && + 0 * C_2(2i + 1) \\ \text{OUT}(4i + 3) &= 0 * C_1(2i + 1) && + 1 * C_2(2i + 1) \end{aligned})$

C/A (GPS)
 $\text{OUT}: (\forall i: 0 \leq i < 8: \begin{aligned} \text{OUT}(4i) &= C_1(2i) \\ \text{OUT}(4i + 1) &= C_1(2i) \\ \text{OUT}(4i + 2) &= C_1(2i + 1) \\ \text{OUT}(4i + 3) &= C_1(2i + 1) \end{aligned})$

FIG.3

4/4

$$\begin{aligned}
f_i: & (\forall n : 0 \leq n < 16 : o_n = (\sum m : 0 \leq m < 7 : ks_m * i_m[n])) \\
f_r: & (\forall n : 0 \leq n < 8 \wedge (kr_0, kr_1) = (0, 0) : (o_{4n}, o_{4n+1}, o_{4n+2}, o_{4n+3}) = (i_{2n}, i_{2n}, i_{2n}, i_{2n})) \\
& (\forall n : 0 \leq n < 8 \wedge (kr_0, kr_1) = (0, 1) : (o_{4n}, o_{4n+1}, o_{4n+2}, o_{4n+3}) = (i_{2n}, i_{2n}, i_{2n+1}, i_{2n+1})) \\
& (\forall n : 0 \leq n < 8 \wedge (kr_0, kr_1) = (1, 0) : (o_{4n}, o_{4n+1}, o_{4n+2}, o_{4n+3}) = (i_{2n+1}, i_{2n+1}, i_{2n}, i_{2n})) \\
& (\forall n : 0 \leq n < 8 \wedge (kr_0, kr_1) = (1, 1) : (o_{4n}, o_{4n+1}, o_{4n+2}, o_{4n+3}) = (i_{2n+1}, i_{2n+1}, i_{2n+1}, i_{2n+1})) \\
f_m: & (\forall n : 0 \leq n < 32 : o_n = i_n * km_{(n \bmod 8)}) \\
f_k: & (\forall n : 0 \leq n < 32 : o_n = i_n + j_n) \\
f_{cn}: & (\forall n : 0 \leq n < 32 : o_n = i_n + kcn_n)
\end{aligned}$$

FIG.4